# KTTIC http://www.kttic.com

MITSUBISHI SEMICONDUCTOR <GaAs FET>

## **MGFC45B3436B**

### 3.4 - 3.6GHz BAND 30W INTERNALLY MATCHED GaAs FET

### **DESCRIPTION**

The MGFC45B3436B is an internally impedance-matched GaAs power FET especially designed for use in 3.4 - 3.6 GHz band amplifiers. The hermetically sealed metal-ceramic package guarantees high reliability.

#### **FEATURES**

Class AB operation

Internally matched to 50(ohm) system

High output power


Po(SAT) = 30W (TYP.) @ f=3.4 - 3.6 GHz

High power gain

GLP = 11 dB (TYP.) @ f=3.4 - 3.6 GHz

Distortion

ACP = -45dBc (TYP.) @ f=3.4 - 3.6 GHz



### RECOMMENDED BIAS CONDITIONS

VDS = 12 (V)

ID = 0.8 (A)

RG=12 (ohm)

# ABSOLUTE MAXIMUM RATINGS (Ta=25deg.C)

Symbol	Parameter	Ratings	Unit
VGDO	Gate to drain voltage	-15	V
VGSO	Gate to source voltage	-10	V
MAXID	Maximum drain current	10	Α
PT *1	Total power dissipation	78	W
Tch	Channel temperature	175	deg.C
Tstg	Storage temperature	-65 / +175	deg.C

<sup>\*1:</sup> Tc=25deg.C

Keep safety first in your circuit designs! >
Mitsubishi Electric Corporation puts the maximum effort into making semiconductor products better and more reliable, but there is always the possibility that trouble may occur with them. Trouble with semiconductors may lead to personal injury, fire or property damage. Remember to give due consideration to safety when making your circuit designs, with appropriate measures such as (1)placement of substitutive, auxiliary circuits, (2)use of non-flammable material or (3)prevention against any malfunction or mishap.

### ELECTRICAL CARACTERISTICS (Ta=25deg.C)

Symbol	Parameter	Test conditions	Limits		Unit	
			Min.	Тур.	Max.	
VGS(off)	Gate to source cut-off voltage	VDS = 3V , ID = 100mA	-0.5	-	-3.0	V
Po(SAT)	Output power	VDS=12V, ID(RF off)=0.8A, f=3.4-3.6GHz	-	45	-	dBm
GLP	Linear power gain		10	11	-	dB
ID	Drain current	VDS=12V, ID(RF off)=0.8A, f=3.4-3.6GHz	-	1.2	1.5	Α
ACP *2	Adjacent Channel leakage Power	Pout=34dBm	-	-45	-	dBc
Rth(ch-c) *3	Thermal resistance	delta Vf method	-	-	1.9	deg.C/W

<sup>\*2 :</sup>Mod.3GPP TEST MODEL 1 64code Single Signal




<sup>\*3 :</sup> Channel-case

## **MGFC45B3436B**

### 3.4 - 3.6GHz BAND 30W INTERNALLY MATCHED GaAs FET


TYPICAL CHARACTERISTICS

ACP, Gain vs. Freq. @Pout=34dBm




Test Condition:
Pout=34dBm,VD=12V,IDQ=0.8A.Ta=25deg.C
Mod.:3GPP TEST MODEL 1 64code Single Signal
Channel Bandwidth = 3.84MHz

ACP, Gain vs. Pout @freq.=3.5GHz



Test Condition: f=3.5GHz,VD=12V,IDQ=0.8A,Ta=25deg.C Mod.:3GPP TEST MODEL 1 64code Single Signal Channel Bandwidth = 3.84MHz


EVM, Gain vs. Freq. @Pout=34dBm



Pout=34dBm,VD=12V,IDQ=0.8A,Ta=25deg.C

Mod: WiMAX Downlink,64QAM Channel Bandwidth: 3.5MHz

EVM, Gain vs. Pout @freq.=3.5GHz




Test Condition: f=3.5GHz,VD=12V,IDQ=0.8A,Ta=25deg.C Mod: WiMAX Downlink,64QAM Channel Bandwidth: 3.5MHz

# MGFC45B3436B

3.4 - 3.6GHz BAND 30W INTERNALLY MATCHED GaAs FET

TYPICAL CHARACTERISTICS **Sparameters** 



# MGFC45B3436B

3.4 - 3.6GHz BAND 30W INTERNALLY MATCHED GaAs FET

### TYPICAL CHARACTERISTICS

### **Sparameters**

GHz	freq. S11		S21		S12		S22		
0.5									
0.6							, ,,	<u> </u>	, ,,
0.7         0.978         160         0.586         33         0.004         21         0.916         163           0.8         0.977         157         0.531         26         0.004         16         0.913         160           0.9         0.977         155         0.522         22         0.004         15         0.912         158           1.0         0.976         153         0.513         18         0.005         14         0.907         154           1.1         0.976         149         0.495         10         0.005         12         0.907         154           1.2         0.973         132         0.458         -6         0.006         8         0.901         147           1.4         0.973         135         0.422         -22         0.006         4         0.895         141           1.5         0.973         135         0.422         -22         0.006         4         0.895         141           1.6         0.972         132         0.403         -29         0.007         2         0.881         134           1.6         0.972         0.422         38         0.007									
0.8									
0.9									
1.0									
1.1									
1.2									
1.3									
1.4         0.973         139         0.440         -14         0.006         6         0.898         144           1.5         0.973         135         0.422         -22         0.006         4         0.895         141           1.6         0.972         132         0.403         -29         0.007         -2         0.881         134           1.8         0.966         122         0.440         -46         0.008         -6         0.870         130           1.9         0.963         117         0.468         -56         0.008         -6         0.870         125           2.0         0.961         111         0.504         -66         0.009         -20         0.844         119           2.1         0.958         106         0.540         -76         0.010         -28         0.831         113           2.2         0.957         97         0.592         -88         0.010         -36         0.806         108           2.3         0.950         90         0.663         -100         0.011         -41         0.785         101           2.4         0.946         83         0.741									
1.5									
1.6									
1.7         0.969         127         0.422         -38         0.007         -2         0.881         134           1.8         0.966         122         0.440         -46         0.008         -6         0.870         130           1.9         0.963         117         0.468         -56         0.008         -12         0.857         125           2.0         0.961         111         0.504         -66         0.009         -20         0.844         119           2.1         0.958         106         0.540         -76         0.010         -36         0.806         108           2.2         0.957         97         0.592         -88         0.010         -36         0.806         108           2.3         0.950         90         0.663         -100         0.011         -41         0.785         101           2.4         0.946         83         0.741         -111         0.012         -64         0.717         84           2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.04 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
1.8									
1.9									
2.0									
2.1         0.958         106         0.540         -76         0.010         -28         0.831         113           2.2         0.957         97         0.592         -88         0.010         -36         0.806         108           2.3         0.950         90         0.663         -100         0.011         -41         0.785         101           2.4         0.946         83         0.741         -111         0.012         -52         0.760         93           2.5         0.940         75         0.844         -125         0.012         -64         0.717         84           2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -148         0.418         25           3.0         0.905         23         1.733 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
2.2         0.957         97         0.592         -88         0.010         -36         0.866         108           2.3         0.950         90         0.663         -100         0.011         -41         0.785         101           2.4         0.946         83         0.741         -111         0.012         -52         0.760         93           2.5         0.940         75         0.844         -125         0.012         -64         0.717         84           2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -148         0.418         25           3.1         0.882         10         0.2016         135         0.001         -148         0.418         25           3.1         0.884         -6         2.400 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
2.3         0.950         90         0.663         -100         0.011         -41         0.785         101           2.4         0.946         83         0.741         -111         0.012         -52         0.760         93           2.5         0.940         75         0.844         -125         0.012         -64         0.717         84           2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.407         -8         3.3526 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
2.4         0.946         83         0.741         -111         0.012         -52         0.760         93           2.5         0.940         75         0.844         -125         0.012         -64         0.717         84           2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -120         0.495         41           3.0         0.905         23         1.733         154         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.008         -179         0.339         7           3.2         0.864         -6         2.400         11									
2.5         0.940         75         0.844         -125         0.012         -64         0.717         84           2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36									
2.6         0.929         66         0.954         -139         0.014         -74         0.673         75           2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -120         0.495         41           3.0         0.905         23         1.733         154         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36									
2.7         0.927         56         1.104         -155         0.013         -87         0.624         65           2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -120         0.495         41           3.0         0.905         23         1.733         154         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.825         66         4         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244<									
2.8         0.918         46         1.273         -170         0.014         -108         0.566         53           2.9         0.912         34         1.476         172         0.011         -120         0.495         41           3.0         0.905         23         1.733         154         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32									
2.9         0.912         34         1.476         172         0.011         -120         0.495         41           3.0         0.905         23         1.733         154         0.011         -148         0.418         25           3.1         0.882         10         2.016         135         0.008         -10         0.246         -16           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.357         -76         4.244         2         0.046         60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
3.0									
3.1         0.882         10         2.016         135         0.008         -179         0.339         7           3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -12									
3.2         0.864         -6         2.400         113         0.006         110         0.246         -16           3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317									
3.3         0.809         -20         2.807         90         0.011         54         0.161         -53           3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
3.4         0.728         -39         3.326         64         0.020         6         0.118         -119           3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648									
3.5         0.593         -58         3.853         36         0.033         -26         0.171         171           3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415									
3.6         0.375         -76         4.244         2         0.046         -60         0.267         123           3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.031         69         0.460         -126           4.6         0.833         -119         1.023									
3.7         0.148         -58         4.228         -32         0.058         -93         0.340         84           3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023									
3.8         0.259         -2         3.835         -65         0.061         -127         0.374         46           3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
3.9         0.452         -14         3.294         -96         0.058         -156         0.374         14           4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
4.0         0.587         -30         2.775         -122         0.054         178         0.366         -17           4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
4.1         0.666         -47         2.317         -147         0.052         159         0.361         -44           4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520									
4.2         0.716         -61         1.939         -168         0.049         136         0.367         -67           4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440									
4.3         0.760         -76         1.648         171         0.044         113         0.393         -88           4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377									
4.4         0.799         -91         1.415         151         0.037         93         0.418         -108           4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.915         144         0.268									
4.5         0.820         -104         1.204         130         0.031         69         0.460         -126           4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268									
4.6         0.833         -119         1.023         111         0.026         53         0.502         -143           4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         <									
4.7         0.846         -132         0.867         92         0.021         36         0.545         -159           4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
4.8         0.859         -145         0.734         74         0.017         20         0.596         -174           4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
4.9         0.863         -158         0.617         57         0.014         5         0.641         172           5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141									
5.0         0.875         -170         0.520         40         0.011         -6         0.684         160           5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
5.1         0.886         178         0.440         25         0.010         -22         0.724         147           5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122         -84         0.005         -117         0.897         73									
5.2         0.901         166         0.377         8         0.008         -30         0.761         136           5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122         -84         0.005         -117         0.897         73									
5.3         0.910         155         0.319         -6         0.008         -59         0.791         124           5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122         -84         0.005         -117         0.897         73									
5.4         0.915         144         0.268         -21         0.007         -69         0.815         114           5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122         -84         0.005         -117         0.897         73									
5.5         0.929         135         0.228         -35         0.006         -73         0.838         105           5.6         0.930         124         0.193         -47         0.006         -75         0.859         96           5.7         0.941         115         0.166         -61         0.005         -91         0.874         89           5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122         -84         0.005         -117         0.897         73									
5.6     0.930     124     0.193     -47     0.006     -75     0.859     96       5.7     0.941     115     0.166     -61     0.005     -91     0.874     89       5.8     0.944     107     0.141     -72     0.005     -118     0.885     80       5.9     0.938     98     0.122     -84     0.005     -117     0.897     73									
5.7     0.941     115     0.166     -61     0.005     -91     0.874     89       5.8     0.944     107     0.141     -72     0.005     -118     0.885     80       5.9     0.938     98     0.122     -84     0.005     -117     0.897     73									
5.8         0.944         107         0.141         -72         0.005         -118         0.885         80           5.9         0.938         98         0.122         -84         0.005         -117         0.897         73									
5.9 0.938 98 0.122 -84 0.005 -117 0.897 73									
6.0   0.951   92   0.106   -94   0.003   -133   0.899   67									
	6.0	0.951	92	0.106	-94	0.003	-133	0.899	67


# KTTIC http://www.kttic.com

MITSUBISHI SEMICONDUCTOR <GaAs FET>

### **MGFC45B3436B**

3.4 - 3.6GHz BAND 30W INTERNALLY MATCHED GaAs FET

## MGFC45B3436B RF TEST FIXTURE



C1,C2,C7,C8=8pF

C4=100nF

C3,C5= 1000pF

C6=470nF

R1=12ohm

R2=51ohm

Board material: Teflon, t=0.8mm, Specific dielectric constant=2.6

UNIT:(mm)



Apr. 2007

# KTTIC http://www.kttic.com

MITSUBISHI SEMICONDUCTOR <GaAs FET>

## **MGFC45B3436B**

3.4 - 3.6GHz BAND 30W INTERNALLY MATCHED GaAs FET

### **Requests Regarding Safety Designs**

Mitsubishi Electric constantly strives to raise the level of its quality and reliability. Despite these concerted efforts, however, there will be occasions when our semiconductor products suffer breakdowns, malfunctions or other problems. In view of this reality, it is requested that every feasible precaution be taken in the pursuit of redundancy design, malfunction prevention design and other safety-related designs, to prevent breakdowns or malfunctions in our products from resulting in accidents involving people, fires, social losses or other problems, thereby upholding the highest levels of safety in the products when in use by customers.

### Matters of Importance when Using these Materials

- 1. These materials are designed as reference materials to ensure that all customers purchase Mitsubishi Electric semiconductors best suited to their specific use applications. Please be aware, however, that the technical information contained in these materials does not comprise consent for the execution or use of intellectual property rights or other rights owned by Mitsubishi Electric Corporation.
- 2. Mitsubishi Electric does not assume responsibility for damages resulting from the use of product data, graphs, charts, programs, algorithms or other applied circuit examples described in these materials, or for the infringement of the rights of third-party owners resulting from such use.
- 3. The data, graphs, charts, programs, algorithms and all other information described in these materials were current at the issue of these materials, with Mitsubishi Electric reserving the right to make any necessary updates or changes in the products or specifications in these materials without prior notice. Before purchasing Mitsubishi Electric semiconductor products, therefore, please obtain the latest available information from Mitsubishi Electric directly or an authorized dealer.
- 4. Every possible effort has been made to ensure that the information described in these materials is fully accurate. However, Mitsubishi Electric assumes no responsibility for damages resulting from inaccuracies occurring within these materials.
- <sup>5</sup>. When using the product data, technical contents indicated on the graphs, charts, programs or algorithms described in these materials, assessments should not be limited to only the technical contents, programs and algorithm units. Rather, it is requested that ample evaluations be made of each individual system as a whole, with the customer assuming full responsibility for decisions on the propriety of application. Mitsubishi Electric does not accept responsibility for the propriety of application.
- 6. The products described in these materials, with the exception of special mention concerning use and reliability, have been designed and manufactured with the purpose of use in general electronic machinery. Accordingly these products have not been designed and manufactured with the purpose of application in machinery or systems that will be used under conditions that can affect human life, or in machinery or systems used in social infrastructure that demand a particularly high degree of reliability. When considering the use of the products described in these materials in transportation machinery (automobiles, trains, vessels), for objectives related to medical treatment, aerospace, nuclear power control, submarine repeaters or systems or other specialized applications, please consult with Mitsubishi Electric directly or an authorized dealer.
- 7. When considering use of products for purposes other than the specific applications described in these materials, please inquire at Mitsubishi Electric or an authorized dealer.
- 8. The prior consent of Mitsubishi Electric in writing is required for any reprinting or reproduction of these materials.
- 9. Please direct any inquiries regarding further details of these materials, or any other comments or matters of attention, to Mitsubishi Electric or an authorized dealer.